



imageCLASS MF9340C

- download brochure
- compare products
- support

FEATURES

Bringing colour into your office has never been simpler or more cost effective. Canon's multifunctional imageCLASS MF9340C is surprisingly powerful for such a compact device, boasting speedy high quality A4 prints, a sizeable operation panel, and the latest in document security. It is built to meet the need of workgroups who produce almost 70% of their print documents in colour.

Features

- Colour laser multifunctional printer
- 21ppm colour print / copy speed
- 21ppm monochrome print / copy speed with Pure Black Technology
- Print, copy, scan, fax, PC-fax
- Universal SEND function for powerful digital data / document distribution to networked PCs
- 3.5 inches colour TFT display with Easy-Scroll Wheel
- Quick First-Print & energy efficient
- Network ready with IPv6.0 compatible & SMTP Authentication
- UFR II LT print system, PCL5c / 6 printer driver option
- Scan to email, network folder & USB Flash memory.
- Direct Print from USB Flash Drive and various Memory Cards
- Automatic Double-sided print / copy / scan

Productive and Impressive

- Print, copy, scan, send or fax* - it's quick and simple with the multifunctional MF9340C
* Optional item
- Colour and black and white printing is carried out at a swift 21 pages per minute and at a resolution of 2,400 x 600dpi
- A sturdy document feeder (50-sheet duplex ADF), plus a potential paper supply of 850 sheets (A4, with optional cassette feeder), ensures sizeable print runs can be comfortably accommodated.
- The Universal-SEND facility enables the MF9340C to be a great communicating aid – instantly sending files to e-mail addresses, desktop, FTP server and file locations.
- USB Flash Drive slots for convenience of scanning & printing without PCs; Memory Card slots for convenient photo images printing.
- High built-in shared memory of 768MB RAM enables flawless multi-tasking
- Single pass colour cartridges mechanism ease up cartridges replacement

Outstanding Colour Quality without Toners Wastage

- Dual Direct Mapping technology converts RGB image type input into CMYK colour output from any data sources for colour output quality and consistency
- ACS (Auto Colour Select) technology recognizes black text areas within a full colour image / document input. Plus its Pure Black Technology, black text area will be printed using black toner only; hence achieving rich black text print quality without wasting other CMY colour cartridges.

Save Time, Increase Productivity while Cutting Your Electricity Bills

Seamless Networking

- This network ready device offers optional PCL 5c / 6 driver support (optional) for easy integration into your existing PCL print environment
- Share productive printing and scanning with the whole team or workgroup
- The Remote User Interface allows users and administrators to check and manage machine status directly from their web browsers

Powerful SEND functionality

- Scan colour documents quickly and easily for direct distribution via email, network file server, FTP server, database, mailboxes or USB Flash memory medium.
- Digital formats available: JPEG, TIFF, PDF, including 'Compact PDF' using Canon's unique compression technology.

Maximise Productivity

- Cut costs, save paper and produce professional documents with the built-in automatic double-sided printing.
- The Duplex Automatic Document Feeder (DADF) enables fast automatic double-sided scanning, copying of multi-page documents up to 50-sheet at a time.
- With a maximum paper capacity of 850 sheets (A4, with optional cassette pedestal) and high 768MB of shared memory, the imageCLASS MF9340C is built to handle the workloads of even the busiest workgroups of any organisation.

Security and Cost Control

- The Department and User ID management function caters up to 1000 IDs which restricts machine access to authorised individuals only
- Usage control management by ID can also be set for copy, print, scan as well as colour usage (by Allow Black Copy only), hence cost control can be done.
- Optional Canon Card Reader (1 - 200 set) can be added for higher level of device security
- Counter Check click-metre is built on the device for job monitoring and report

Maintenance-free Colour Cartridge

- For continuous, high quality colour documents output
- Each of the four compact colour cartridges contains toner, drum and cleaning units – reducing maintenance requirements and increasing reliability.
- Plus its front loading design, cartridges replacement is clean and fast.
- Maximum device performance and Canon's warranty protection with genuine Cartridges NPG-41C (6000 pages*), NPG-41M (6000 pages*), NPG-41Y (6000 pages*), NPG-41K (6000 pages*).
* Based on A4, 5% coverage. Machine comes with full-yield toner cartridge for each.

Notice:

[Be careful of counterfeits]

It has been confirmed that there are counterfeit Canon toner cartridges in the marketplace. Using a counterfeit toner cartridge may cause poor

- Quick First-Print technology achieves zero warm-up time, allowing immediate document processing and output.
- UFR II Lt printing system for PC-based document compression for speedy delivery and no machine's RAM upgrade required
- Up to 21ppm colour and monochrome print or copy speeds for fast output
- Energy Star® certified and consumes only as low as approx. 1.2Watts in sleep mode (while connected PCs are inactive)
- Check out Energy Star TEC (Typical Electricity Consumption) Test Rating for Multifunction Devices at:
http://www.eu-energystar.org/en/en_database.htm?mfd

print quality or poor printer performance. Please be advised that Canon is not responsible for any malfunction, accident, or damage caused by using non-genuine toner cartridges, including counterfeits.

For details, see the following website:
<http://www.canon.com/counterfeit>

Ultimate Engagement and Usability

- The large 3.5 inches full colour TFT LCD display with Easy-Scroll Wheel operational panel allows easy access to all functions
- The intuitive Graphical User Interface (GUI) showing step-by-step operation, enables easy use and minimizes needs for user manual reference.
- Viewing of images (JPEG) in the plugged-in USB Flash Drive as well as Memory Card are also enabled
- PC-free Photo Printing can be done with its built-in memory cards slots which can take SD, Compact Flash, Micro Drive, Memory Stick. Photo Index Print is also supported (JPEG only).

SPECIFICATIONS

Machine Type	Colour Laser Multifunction Printer	
Available Functions	Print, Copy, Scan (Fax option)	
Printer		
Print Speed	Up to 21ppm colour and mono (A4)	
Printing Method	Indirect electrostatic method (Colour RAPID Fusing)	
Print Quality	Up to 2400 x 600dpi with Automatic Image Refinement	
Print Resolution	600 x 600dpi	
Double Sided Printing	Automatic	
Printer Languages	UFR II-LT (PCL5c / 6 Optional)	
Print Margins	5mm - top, bottom, left and right	
Toner Saver Mode	Yes	
Media Direct Print		
Media Type	USB Flash Memory, Memory Card (CompactFlash®, Microdrive, Memory Stick®, Memory Stick Pro™, SD Memory Card®, Memory Stick Duo™*1, Memory Stick PRO Duo™*1, Memory Stick Micro™*1, miniSD Card™*1, microSD Card™*1)	
Image Format	BW:	TIFF
	CLR:	JPEG
File System	FAT16, FAT32	
Layout Print	2-on-1, 4-on-1 (JPEG only)	
Index Print	20 images (A4 / LTR), 24 images (LGL) (JPEG only)	
Copier		
Copy Speed	Up to 21cpm colour and mono (A4)	
First Copy Output Time (FCOT)	Platen:	< 13secs.
	ADF:	< 19secs.
Copy Resolution	Up to 600 x 600dpi	
Copy Modes	Text / Photo / Map (Default), Printed Image, Photo, Text	
Double Sided Copying	2-sided to 2-sided (Automatic)	
Multiple Copy	Up to 99 copies	
Reduction / Enlargement	50 - 200% in 1% increments	
Toner Saver Mode	Yes	
Other Features	Booklet, Frame Erase, Auto Collate, ID Card Copy, 2-on-1, 4-on-1, Mode Memory setting (4 Favourite Setting)	
Scanner		
Type	Colour, Greyscale & BW	
Scan Method	CCD	
Scan Resolution	Optical:	Up to 600 x 600dpi
	Enhanced:	Up to 9600dpi
Colour Scanning Depth	24bit / 24bit (input / output)	
Greyscales	256 levels	
Compatibility	TWAIN*2, WIA*1*2	
Max. Scan Width	216mm	
Scan Software	Colour Network ScanGear	

Send Functions		
Network Protocols	TCP/IP (LPD / RAW(Port9100))	
Scan to File Server	FTP, SMB (TCP/IP)	
Scan to E-mail and i-Fax	SMTP, POP3, i-Fax (Simple mode)	
Scan to USB Flash Memory	Yes	
File Formats	TIFF, JPEG, PDF, PDF (Compact)	
NOTE: Scan to Colour Multi-page PDF file format can be done via both Auto Document Feeder (ADF) and Platen glass by SEND function; and via ADF only if Network ScanGear and Scan-to-USB Memory is used.		
Other Features	Mode Memory setting (4 Favourite Setting)	
FAX	(with Optional Fax Board AB-1 installed)	
Modem Speed	Super G3 33.6kbps (Up to 3 seconds/page* ³)	
Receive Mode	Fax only, Fax / Tel Auto Switch, Answer Mode, Manual RX	
Fax Resolution	200 x 100dpi:	8pels/mm x 3.85lines/mm
	200 x 200dpi:	8pels/mm x 7.7lines/mm
	200 x 400dpi:	8pels/mm x 7.7lines/mm
	400 x 400dpi:	16pels/mm x 15.4lines/mm
FAX Memory	Up to 1,000 pages* ⁴	
Speed Dialling	One-touch:	200 destinations
	Group dialling:	299 destinations
	Others:	Address Book Dial, Regular dial, Redial (Auto / Manual), Auto Reception Reduction
Sequential Broadcasting	Maximum:	301 destinations
	From Address Book:	300 destinations
	Manual dialling:	1 destination
Memory Backup	1 hour	
Double Sided Faxing	Yes (Transmit and Receive)	
Other Features	Auto Fax Forwarding to PCs / Email / Server, Dual Access, Remote Reception, PC Fax	
Media Handling		
Scanner Type	Flatbed and Duplex Automatic Document Feeder (DADF)	
Paper Input (Standard)	250-sheet cassette 100-sheet multi-purpose tray	
Auto Document Feeder	50-sheet (Duplex ADF)	
Paper Input (Option)	500-sheet cassette (pedestal with wheels)	
Paper Output	250-sheet	
Media Types	Plain paper, Recycled paper, Heavy paper, Transparency, Label, Envelope	
Media Sizes	Cassette and optional pedestal:	A4, A5, B5, Legal, Letter, Executive
	Multi-purpose tray:	A4, A5, B5, Legal, Letter, Executive, Statement, Envelope (COM10, Monarch, DL, ISO-C5, ISO-B5) Custom sizes: Width 76.2 to 215.9mm; Length 127.0 to 355.6mm.
	DADF:	One-sided scanning: A4, A5, B5, Legal, Letter, Custom sizes (W x L: Max. 215.9 x 355.6mm Min. 128 x 139.7mm) Two-sided scanning: A4, Legal, Letter
Media Weights	Cassette and optional pedestal:	60 to 120g/m ²
	Multi-purpose tray:	60 to 176g/m ²
	DADF:	One-sided scanning: 50 to 105g/m ² , Two-sided scanning: 64 to 105g/m ²
Interface / Software		
Interface Type	USB 2.0 Hi-Speed, 10BASE-T / 100BASE-TX, 2 x USB memory slot, Ethernet (100Base-TX / 10Base-T), for New Card Reader (E-1, TTL Serial I/F)	
Operating System Compatibility	Windows 2000 / Server 2003 / Server 2008 / XP / Vista Mac OS X version 10.2.8 - 10.5.x* ⁵ * ⁶ Linux* ⁵ * ⁷	
Software and Printer Management	NetSpot Device Installer, Remote User Interface (RUI), Department ID Management (100 IDs)	
General Features		
Duty Cycle	Max. 65,000 pages per month	
Warm-up Time	Approx. 60 seconds from power on	
CPU	Canon Custom Processor 400MHz	
Memory	768MB (shared)	
Control Panel	3.5 inches colour TFT display with Easy Scroll-Wheel	
Dimensions with Trays (W x D x H)	546 x 527 x 632mm	
Installation Space (W x D x H)	546 x 1140 x 792mm	
	546 x 1140 x 1095mm (with optional Cassette Feeding Unit-AB1 attached)	
Weight	Approx 44kg	
Operating Environment	Temperature:	10 to 30°C (50 to 86°F)
	Humidity:	10 to 80% RH (no condensation)

Power Source	210 - 240V (±10%) 50 / 60Hz (±2Hz)	
Power Consumption	Max:	< 1350W
	Sleep mode:	16W (with active connected PCs)
	Min Sleep mode:	1.2W (when PCs not active)
Consumables		
Cartridge	Cartridge NPG-41 Black (6,000 pages)* ⁸ Cartridge NPG-41 Cyan (6,000 pages)* ⁸ Cartridge NPG-41 Magenta (6,000 pages)* ⁸ Cartridge NPG-41 Yellow (6,000 pages)* ⁸	

All specifications subject to change without notice.

- *1 Web distribution only.
- *2 Scan to computer via USB connection is not supported.
- *3 Based on ITU-T Standard Chart No. 1.
- *4 Based on ITU-T Standard Chart No. 1.
- *5 Web distribution only.
- *6 Scanning is not supported.
- *7 English print driver only.
- *8 Based on 5% coverage.

ACCESSORIES

Accessories

- Cassette Feeding Unit-AB1 (500 sheet cassette)
- HANDSET-J1 (Telephone handset)
- Super G3 Fax BD-AB1
- PCL Printer Kit-Y1
- Card Reader-E1
- Card Reader Attachment-F1
- Copy Card Set (1-30)
- Copy Card Set (31-100)
- Copy Card Set (101-200)
- Barcode Printing Kit-C1
(works with PCL Printer Kit-Y1 installed)

AWARDS



[More about BLI](#)

BLI BUYERS LAB 2008 Pick

People who viewed the above product also viewed the following

- Please click on product image for more details
- Please select the products for comparison (maximum 2 selections)



imageCLASS MF8450C



imageCLASS MF8180C



imageCLASS MF4320d



imageCLASS MF4350d



[Compare](#)