



imageRUNNER ADVANCE C5051 **NEW!**

- [download brochure](#)
- [view microsite](#)
- [support](#)

FEATURES

With the launch of the new flagship Canon imageRUNNER ADVANCE C5051, business and large corporations can now be empowered to enjoy dramatically simplified and productive document workflow. Offering a wide range of optional internal and external finishing hardware and system accessories, every user can experience unrivalled efficiency at the workplace. The imageRUNNER ADVANCE C5051 also features a range of collaboration tools, streamlined one-step operations for complicated tasks, and the power to perform multiple jobs concurrently.

Highlights

- Up to 51 pages per minute for BW and Colour output
- Brand new intuitive user interface with customizable menu for enhanced user experience
- Multifunction capabilities with Copy, Print, Scan, Send and optional Fax (up to 4 lines)
- Up to 100ipm in scanning capability for BW and Colour
- Standard USB support with optional memory media support
- Wide finishing options including compact-sized internal finishers
- Stunning print image quality of up to 1200 x 1200dpi with optional Genuine Adobe PostScript 3 PDL
- Optional file scanning formats like Adobe Reader Extensions, OOXML for everyday usage
- Powerful document collaboration with device Advanced Box including fax
- Environmentally friendly design using recycled materials and bio-plastics

Customizable User Interface

- New 8.4" colour TFT touch screen menu that promises a unique user experience
- Customizable appearance of menu to suit each and every user's needs and preferences
- Configurable Quick Menu turns commonly used functions into a single button process
- Tutorial menu for quick reference

Walk-up Convenience

- Print and scan directly from USB removable media without the use of a PC
- Printing can continue while toner is being replaced
- Ability to detect correct paper size during paper loading and easier clearance of paper jams upkeep your business productivity

High Quality, Professional Looking Printouts

- Crispest, most vibrant colour print via the new advance system architecture and pQ Toner
- Support genuine Adobe PostScript and Fiery print controllers
- Wide range of finishing options including a new space saving inner finisher

Powerful Document Conversion and Integration

- Scan at speed of up to 100ipm BW or Colour
- Scan and send documents to multiple destinations such as email, ftp, and shared folders using Canon's unique Universal Send Function
- Support integration to back office systems like Microsoft SharePoint™
- Scan to multiple file formats - standard PDF compact, searchable PDF / XPS, Office Open XML (OOXML) and Adobe Reader Extensions PDF

Storage and Collaboration with Advanced Box

- Advanced Box - a new sharing storage that allows documents sharing among users
- Allow remote access from PC or another imageRUNNER ADVANCE device
- Upgradeable to a higher capacity with enhanced security features

Powered by MEAP Technology

- Support Canon's MEAP platform for installation of embedded applications such as iW Function Flow, uniFLOW, eCopy and many other 3rd Party developed solutions
- MEAP application removes the need for costly external servers, PCs or other peripherals

Secure and Easy to Manage

- Secure watermark, document scan lock, HDD removal, data encryption and device authentication are available to help protect documents throughout their lifecycle
- With the new Remote User Interface and e-Maintenance, centralized control of all devices reduces workload for IT managers and system administrators

Environmental Friendly

- Use of high-grade fire retardant bio-based plastic
- Exceed environmental standards with Energy Star and RoHS compliance
- Adopted Life Cycle Assessment (LCA) system to lower emission and improve device efficiency

SPECIFICATIONS

Type	Desktop	
Maximum Original Size	A3	
Copy Sizes	Cassette:	305 x 457mm, A3, A4, A4R, A5R Custom Size 139.7 x 182mm to 304.8 x 457.2mm Optional Envelope Feeder, COM10 No.10, Monarch, DL, ISO-B5, ISO-C5
	Stack Bypass:	A5R - SRA3 (320 x 450mm), Envelopes Custom Size 99 x 140mm to 320 x 457mm
Resolution	Reading:	600 x 600dpi
	Copying:	600 x 600dpi
	Printing:	1200 x 1200dpi (text / line only)
Copy / Print Speed	A4:	51ppm (BW / Colour)
	A3:	26ppm (BW / Colour)
Magnification	Zoom:	25 - 400%
First Copy Time	BW:	4.0secs.
	Full Colour:	6.5secs.
Warm-Up Time	38 seconds	
Multiple Copies / Prints	1 to 999 sheets	
Duplexing	Standard automatic stackless	
Paper Weight	Cassette:	52 to 209gsm
	Stack Bypass:	52 to 256gsm
	Duplex:	52 to 209gsm
Paper Capacity	Standard:	550 sheets x 2 cassettes (80gsm) Stack Bypass: 100 sheets (80gsm)
	Optional:	550 sheets x 2 cassettes (80gsm)
	Paper Deck:	2,700 sheets (80gsm)
	Total capacity:	5,000 sheets
CPU	1.2GHz	
Memory	Standard:	2GB RAM
	Maximum:	2.5GB RAM
Hard Disk Drive	Standard:	80GB (Available Disk Space: 10GB)
	Maximum:	250GB (Available Disk Space: 115GB)
Interface	Ethernet (1000BaseT / 100Base-TX / 10Base-T) Wireless LAN (IEEE802.11b/g, Optional), USB2.0	
Power Supply	220 - 240V AC, 50 / 60Hz	
Power Consumption	1.8kW max.	
Dimensions (W x D x H)	620 x 760 x 982mm (with 1PDS) / 1230mm (with 1PDS & CFU) 620 x 735 x 938mm (with DADF) / 1186mm (with DADF & CFU) 620 x 735 x 826mm (with Platen cover) / 1074mm (with Platen cover & CFU)	
Weight	Approx.170kg (with 1PDS) Approx.153kg (with DADF)	
Print Specification		
PDL	UFR II (Standard), PCL 5c / 6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	1200 x 1200dpi (text / line only), 600 x 600dpi	
Memory	2GB (Uses Main unit RAM)	
Hard Disk	Standard:	80GB (Available Disk Space: 10GB)
	Maximum:	250GB (Available Disk Space: 115GB)
CPU	Canon Custom Processor, 1.2GHz (Uses Main unit CPU)	
PS Fonts	Roman 136	
PCL Fonts	Roman93, Bitmap10, OCR2	
Supported OS	PCL:	Windows 2000 / XP / Server2003 / Vista / Server2008 / Win7
	Adobe PostScript 3:	Windows 2000 / XP / Server2003 / Vista / Server2008 / Win7, Mac OSX (10.4.9 or later)
UFR II	Windows:	2000 / XP / Server2003 / Vista / Server2008 / Win7
	Mac:	OSX (10.4.9 or later)
Mac-PPD	Mac OS 9.1 or later, Mac OSX (10.2.8 or later)	
Interface	Ethernet (1000Base-T / 100Base-TX / 10Base-T) Wireless LAN (IEEE802.11b/g, Optional), USB2.0	
Network Protocol	TCP/IP (LPD / Port9100 / WSD / IPP / IPSP / SMB / FTP), IPv6, IPX / SPX (NDS, Bindery), AppleTalk	
Pull Scan	Network TWAIN Driver (75 to 600dpi 24 bits colour / 8 bits grayscale / 2 bits BW)	
Send Specification (Standard)		
Scan Speed (A4, 300dpi)	70ipm (Colour / BW), 100ipm for Duplex scan by optional 1PDS	
Scan Resolution	100dpi, 150dpi, 200 x 100dpi, 200dpi, 200 x 400dpi, 300dpi, 400dpi, 600dpi	

Destinations	E-Mail / Internet FAX (SMTP), PC (SMB, FTP), iWDM, WebDAV
Address Book	LDAP, Local (Max.1800)
File Format	TIFF, JPEG, PDF, XPS, High compression PDF / XPS, PDF / A-1b, Optimize PDF for Web